



CODEMARK™

CERTIFICATE OF CONFORMITY

This is to certify that

Trithor Termite Protection



Product Description

- 1. Trithor PLUS**, Fibre blanket with Deltamethrin incorporated in it and laminated to LDPE on both sides. Used in full underslab termite management installations.
- 2. Trithor**, Fibre blanket with Deltamethrin incorporated in it and laminated to LDPE on both sides. Used in perimeter (cavity) termite management installations and critical joints.
- 3. Trithor Collars**, Fibre blanket with Deltamethrin incorporated in it, laminated to LDPE on both sides and formed into the shape of collars. Used as a termite management system for penetrations.

Product Purpose or Use

A physical underslab, perimeter and penetration system to deter concealed entry by subterranean termites into a building.

Certificate Holder

Ensysyex Australia Pty Ltd

ABN 92 096 839 815

Unit 3 The Junction Estate, 4 - 6 Junction Street
Auburn NSW 2144

CodeMark Certification Body

SAI Global Certification Services Pty Limited

(ACN 108 716 669) Trading as "SAI Global"
JAS-ANZ Accreditation No. Z1440295AS
Address: 286 Sussex Street, Sydney, NSW 2000
Website: www.saiglobal.com

Complies with the Building Code of Australia (BCA):

1. Volume One: BP1.1 and BP1.2 *(limited only to actions by subterranean termites)*
2. Volume Two: P2.1 *(limited only to actions by subterranean termites)*
3. State Additions: Volume Two: QLD P2.1.1 *(limited only to actions by subterranean termites)*

Subject to the following conditions and limitations:

1. The Trithor Termite Protection termite management system is to be installed by Trithor Authorised Operators trained and licensed by Ensysyex Australia Pty Ltd.
2. The Trithor Termite Protection termite management system is to be installed in accordance with the Trithor Termite Protection Product Reference Manual (Version - TPM 4.02 11.07).
3. The Trithor Termite Protection blanket is to be placed with the blue layer on top (upwards).
4. Service penetrations are to be protected with either Trithor Collars or Trithor Tubes as outlined in the manual.
5. The concrete slab must be constructed in accordance with the requirements of AS 2870-1996 Residential slabs and footings - Construction *(as amended up to and including Amdt 4, May 2003 or AS 3600 2001 up to and including Amdt 4, October 2004).*



Alex Ezrakhovich
General Manager Certification
For and on behalf of SAI Global

14/01/2008

Reissue Date

07/02/2008

Original Date of Issue

13/01/2011

Date of Expiry

SAIG-08-CM20008

Certificate Number



- This Certificate of Conformity is issued under arrangement with JAS-ANZ. The ABCB does not in any way warrant or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product.
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.